Ø 005/020

SUBSTITUTE SPECIFICATION (Clean Copy)

47496/CAB/C614

HYBRID TEA ROSE PLANT NAMED 'TANTALIZING RED'

CLASSIFICATION

The present invention relates to a new Rosa hybrida plant.

VARIETY DENOMINATION

The new plant has the varietal denomination 'TANTALIZING RED'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of rose plant of the hybrid tea rose of the genus Rosaceae which was created by crossing as seed and pollen parents two (2) unknown rose varieties. The varietal denomination of the new variety is 'TANTALIZING RED'.

SUMMARY OF THE INVENTION

Among the novel characteristics possessed by this new variety which distinguishes it from other varieties of which I am aware, is its attractive red-purple flowers.

Asexual reproduction by budding of the new variety onto 'Dr. Huey' rootstock as performed in Wasco, California shows that the foregoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

BRIEF DESCRIPTION OF ILLUSTRATION

The accompanying illustration shows typical specimens of the flowers and foliage of the new variety depicted in color as nearly true as it is reasonably possible to make the same in a color illustration of this character.

SUBSTITUTE SPECIFICATION (Clean Copy)

47496/CAB/C614

DESCRIPTION OF THE NEW VARIETY

The following is a detailed description of 2-year budded plants of the new variety , with color terminology in accordance with The Royal Horticultural Society Colour Chart (RHSCC). The terminology used in color description herein refers to plate numbers in the aforementioned color chart. Phenotypic expression may vary with light availability, environmental and cultural conditions.

The following observations are made of specimens grown outdoors in Wasco, California, during November and budded on understock of 'DR. HUEY.

PLANT

Form: Upright

Growth: Vigorous, non-uniform

Size: Height about 6 feet; width ...

about 3 feet

Foliage

Size: Terminal leaflet length about

2 1/2 inches, width about

1 3/4 inches; leaf about 5 1/2 inches long and about 4 inches

wide

Quantity: Compound leaf with an average

of three leaflets

Color

New foliage: Upper side near 146A; under

side near 182B

Mature foliage: Upper side near 147A; under

side near 147C

Shape: Elliptic

SUBSTITUTE SPECIFICATION (Clean Copy)

47496/CAB/C614

Texture

Upper side: Smooth, semi-glossy

Under side: Matte

Edge: Serrated

Serration: Slight

Petioles: Top surface color near 144B;

Under side near 144A

Stipules: Normal

Auricle: Slight serration near 59B to

137C

Rachis: Smooth

WOOD

New shoots

Bark: Smooth

Wood: Near 59C

Old wood

Bark: Smooth

Wood: Near 146B

Flowering stem: Length about 24 inches

Winter Hardiness: Completely winter hardy

Preferred growing

conditions: Full sun Growth habit: Upright Leaves per stem: About 7

Thorns and prickles: Average number of prickles and

> thorns, new thorns about 3/16 inch, near 142B, mature thorns

about 3/8 inch near 144B

FLOWER/INFLORESCENCE

Blooming Habit: Recurrent

Bud Average length about 1 3/16

Ø 008/020

SUBSTITUTE SPECIFICATION (Clean Copy)

47496/CAB/C614

Form:

inch, width 1 1/2 inches

High centered classic rose

form

Color: Before sepals divide color

> near 60A; when sepals first divide color near 60C; when petals begin to unfurl color

near 63B

Sepals: Pointed on ends; regular

> appearance, usually 5 sepals, 1 1/8 inch long and 1/4 inch wide, occasional extensions

Size: Length in relation to bud,

about 1 3/8 inches

Color Topside near 158B; bottom near

144C

Peduncle: Smooth

> About 1 3/4 inches Length:

Strength: Firm

Color: Near 139B, with anthocyanin

blush near 59C

Plower

Size: About 5 inches

Borne: Multiple blooms per stem Form: High centered, opening flat

with maturity

Petalage: About 38

> Petaloids in center: Few, about 3 to 5 petaloids,

> > color near 74C

Fragrance: Slight

Ø1009/020

SUBSTITUTE SPECIFICATION (Clean Copy)

47496/CAB/C614

Lasting Quality:

About 3 weeks on plant; about

6 days after cutting

Color

During first 2 days:

Inner petals at flower center topside near 60B; bottom near 60C; outer petals topside near

60B, bottom near 60C

Base of petals

(Point of attachment):

Near 158B

General tonality from

a distance:

Dark Red-Purple near 59C

Color Change:

As bloom ages, fades slightly to near 60C; after 3 or more

days, about the same

General tonality from

a distance:

Dark red even after 3 or more

days

Petals

Length:

Approximately 1 1/8 in. long

Width:

Approximately 2 in. wide

Texture:

Soft

Shape:

Wider than long

Arrangement:

Normal

Appearance:

Satiny

Margin:

Smooth

Persistance:

Strong, as a cut flower and in

the garden

REPRODUCTIVE ORGANS

Arrangement of stamens,

Filaments and Anthers:

Regularly arranged around

styles, about 40 to 50

SUBSTITUTE SPECIFICATION (Clean Copy)

47496/CAB/C614

filaments and anthers, no

pollen observed

Color: Filaments near 162B; Anthers

near 158B

Styles: Thin

Stigmas: Color near 158D

Hips/Seed Vessels/Ovaries

Shape: Round

Size: About 1/2 inch

Color: Near 144A

Seeds: No seeds observed

Disease Resistance Cultivar exhibits average

resistance/susceptibility to

disease